

PED of Compliance

We hereby declare that the technical file of product complied with the requirement of directives 2014/68/EU Pressure Equipment Directive.

Certificate No.: UQ-2024112904

Manufacturer

Name : SUNIL TRADING CO.

Address : D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

Products : (MORE PRODUCTS AS PER APPENDIX-I TO IX)

Complies with the requirements applicable to it

The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on Directive 2014/68/EU Pressure Equipment Directive.

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.
4. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification	29th November 2024
1 st Surveillance Audit Due	28th November 2025
2 nd Surveillance Audit Due	28th November 2026
Certificate Expiry (subject to the company maintaining its system to the required standard)	28th November 2027

Daniel..

Authorised Signatory



Page 1 of 9



Certificate of Compliance

Appendix-I

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

Manufacturer: SUNIL TRADING CO.

SR. NO.	PRODUCT NAME	SPECIFICATION
1.	CARBON STEEL AND ALLOY STEEL PIPES	
2.	Carbon Steel Seamless Line Pipes	Size Range: 1/8" NB TO 24" NB Sch 40/80/160/XXS
3.	Alloy Steel Seamless Pipes	Size Range: 1/8" NB TO 24" NB Sch 40/80/160/XXS
SR. NO.	PRODUCT NAME	SPECIFICATION
1.	STAINLESS STEEL CARBON STEEL, AND MILD STEEL PIPES	
2.	STAINLESS STEEL	Material Grades: ASTM A312, GR. 304, 304L, 310, 316, 316L, 316Ti, 317, 321, 904
3.	CARBON STEEL	Material Grades: ASTM A106 Gr. A, B, C,
4.	ALLOY STEEL	Material Grades: ASTM A335 GR. P1, P11, P12, P22, P5, P9, P91, P92.
5.	LOW TEMPERATURE SERVICES	Material Grades: ASTM A333 & A334 GR. 3, 6, 9
6.	COPPER NICKEL SERVICES	Material Grades: CU NI 90/10, 70/30
7.	MILD STEEL	Specifications: ASME B36.19, B36.10,
SR. NO.	PRODUCT NAME	SPECIFICATION
CORTEN STEEL / CARBON STEEL ERW APH / (CDS) HEAT EXCHANGER & BOILER TUBES, ALLOY STEEL/ NICKEL ALLOYS, PIPE & TUBES		
1	Carbon Steel Seamless Line Pipes	Size Range: 1/8" NB TO 24" NB Sch 40/80/160/XXS
2	Alloy Steel Seamless Pipes	Size Range: 1/8" NB TO 24" NB Sch 40/80/160/XXS
3	Copper Nickel Tube 90/10 & 70/30	Size Range: 1/8" OD to 4" OD WALL THICKNESS: 1.0 MM TO 5.0 MM

Daniel..

Authorised Signatory



Page 2 of 9



Certificate of Compliance

Appendix-II

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR. NO.	PRODUCT NAME / TYPE	SPECIFICATION
1.	SEAMLESS ALLOY STEEL PIPE & TUBE,	Product Structure Standard Specification For Seamless / Erw Pipe Size Range: 15 NB UP TO 1200 NB IN SCH 5S, 10S, 10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS Size Range: 1/2" OD TO 4" OD WALL THICKNESS: 1.6 MM to 9.53 MM Form: Seamless / Erw / Welded in Round & Square. Stainless Steel: ASTM / ASME SA 312 GR. TP 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316 LN, 317, 317L, 321, 321H, 347, 347 H, 904L. Duplex Steel: ASTM / ASME SA 790 UNS NO S 31803, S 32205, S 32550, S 32750, S 32760. Carbon Steel: ASTM / ASME A 53 GR. A, B ASTM / ASME 106 GR. A, B, C. API 5L GR. B, API 5L X 42, X 46, X 52, X 60, X 70. ASTM / ASME A 691 GRA, B, C ASTM A333 GR.6. Alloy Steel: ASTM / ASME A 335 GRP 1, P5, P9, P11, P12, P22, P23, P91 P92, ASTM / ASME A 691 GRP1 CR, 1 1/4 CR, 2 1/4 CR, 5 CR, 9CR, 91. Nickel & Copper Alloy: ASTM / ASME SB 163 UNS 2200 (NICKEL 200) ASTM / ASME SB 163 UNS 2201 (NICKEL 201) ASTM / ASME SB 163 / 165 UNS 4400 (MONEL 400) ASTM / ASME SB 464 UNS 8020 (ALLOY 20 / 20 CB 3) ASTM / ASME SB 704/705 UNS 8825 INCONEL (825) ASTM / ASME SB 167 / 517 UNS 6600 (INCONEL 600) ASTM / ASME SB 167 UNS 6601 (INCONEL 601) ASTM / ASME SB 704 /705 UNS 6625 (INCONEL 625) ASTM / ASME SB 619/622/626 UNS 10276 (HASTELLOY C 276). Copper Alloy: ASTM / ASME SB 111 UNS NO. C 10100, 10200, 10300, 10800, 12000, 12200, 70600, 71500. ASTM / ASME SB 466 UNS NO. C 70600 (CU -NI- 90/10), C 71500 (CU -NI- 70/30). Titanium Grades: Grade 1, Grade 2, Grade 3, Grade 4, Grade 5, Grade 7, Grade 9, Grade 23.
2.	ERW AND SEAMLESS STAINLESS STEEL PIPE & TUBE,	
3.	ERW AND SEAMLESS CARBON STEEL PIPE & TUBE	
4.	ERW AND SEAMLESS NICKEL ALLOY PIPE & TUBE	
5.	ERW AND SEAMLESS DUPLEX STAINLESS STEEL PIPE & TUBE	
6.	SEAMLESS API 5L PIPE & TUBE	
7.	ERW AND SEAMLESS TITANIUM/ COPPER/ ALUMINIUM,	
8.	COATED STEEL PIPE & TUBE	
9.	DIN STANDARDS PIPE & TUBE	
10.	ERW IS STANDARDS PIPE & TUBE	
11.	ERW AND SEAMLESS EN GRADES PIPE & TUBE	
12.	SQUARE & RECTANGULAR PIPES	
13.	GALVANIZED IRON PIPE	
14.	COLD DRAWN SEAMLESS PRECISION TUBES	
15.	SEAMLESS BOILER & HEAT EXCHANGER TUBES	
16.	ERW BOILER & HEAT EXCHANGER TUBE	
17.	LOW TEMPERATURE SEAMLESS PIPE	

Daniel..

Authorised Signatory



Page 3 of 9



Certificate of Compliance

Appendix-III

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR. NO.	PRODUCT NAME	SPECIFICATION
Butt-weld Pipe Fittings		
1	180° Elbow	Material Of Construction:
2	90° Elbow	Carbon Steel, Stainless Steel,
3	45° Elbow	Alloy Steel, Duplex & Super Duplex Steel
4	Reducing Tee	Etc.
	Straight Tee	
6	Concentric Reducer	Copper Nickel Butt Weld Pipe Fittings:
7	Eccentric Reducer	CuNi10Fe1Mn, CuNi30Mn1Fe
8	Ball Caps	Size Range: 1/8" NB TO 48" NB
9	Oval Caps	Thickness: SCH: 5s, 10s, 40s, 80s, 10, 20,
10	U bends	40,STD,60,80,XS,100,120,140,160,XXS
11	Custom Radius Pipe Bends	Custom Thickness
12	Equal Cross	Surface Treatment:
13	Reducing Cross	Hot Dip Galvanizing, Anti Rust Coating
14	Long Pattern Stub Ends	Epoxy & FBE Coating
15	Short Pattern Stub Ends	Electro Polish

Daniel..

Authorised Signatory





Certificate of Compliance

Appendix-IV

Appendix to Certificate no.:- UQ-2024112904
 Manufacturer :- SUNIL TRADING CO.
 Address :- D-11, BHGATSINGH NAGAR NO.2,RAJARAM GULLY
 LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
 MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR. NO.	PRODUCT NAME / TYPE	SPECIFICATION
1.	BUTTWELD 180° ELBOW	Product Structure Standard Specification For Butt Weld Fittings Dimensions : ASME/ANSI B16.9, ASME B16.28, MSS-SP-43 Size : 1/2"NB TO 48"NB IN Type : Seamless / Welded / ERW / Welded / Fabricated Thickness : Schedule 5S, 10S, 20S, S10, S20, S30, STD, 40S, S40, S60, XS, 80S, S80, S100, S120, S140, S160, XXS and Material & Grades of Butt-weld Welded Fittings :- ASTM A403 WP316/316L, ASTM A403 SA / A 774 WP-S, WP-W, WP-WX 304/304L, ASTM A182 F316L, 304L, DIN 1.4301, DIN1.4306, DIN 1.4401, DIN 1.4404 Duplex & Super Duplex Steel Butt-weld Welded Fittings : ASTM A 815, ASME SA815 UNS NO S31803, S32205. UNS S32750, S32950. Carbon Steel Butt-weld Welded Fittings : ASTM A234, ASME SA234 WPB , WPBW, WPHY42, WPHY46, WPHY52, WPH60, WPHY65 & WPHY70. Low Temperature Carbon Steel Butt-weld Welded Fittings : ASTM A420 WPL3, A420 WPL6 Alloy Steel Butt-weld Welded Fittings :- A/SA234 WP1, WP5, WP9, WP11, WP22, WP91 A/SA182 F1, F5, F9, F11, F22, F91 Nickel Alloy Butt-weld Welded Fittings : ASTM B336, ASME SB336, Nickel 200 (UNS No. No2200), Nickel 201 (UNS No. N02201), Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500), Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825), Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625), Inconel 601 (UNS No. N06601), Hastelloy C 276 (UNS No. N10276), Alloy 20 (UNS No. N08020), Titanium (Grade I & II), Cupro-Nickel 70/30, CuNi10Fe1Mn, CuNi30Mn1Fe.
2.	BUTTWELD 90° ELBOW	
3.	BUTTWELD 45° ELBOW	
4.	BUTTWELD REDUCING TEE	
5.	BUTTWELD EQUAL TEE	
6.	BUTTWELD CONCENTRIC REDUCER	
7.	BUTTWELD ECCENTRIC REDUCER	
8.	BUTTWELD END CAP	
9.	BUTTWELD OVAL CAPS	
10.	BUTTWELD U BENDS	
11.	BUTTWELD CUSTOM RADIUS PIPE BENDS	
12.	BUTTWELD EQUAL CROSS	
13.	BUTTWELD REDUCING CROSS	
14.	BUTTWELD SHORT PATTERN STUB ENDS	
15.	BUTTWELD LONG STUBEND	

Daniel..

Authorised Signatory



Page 5 of 9



Certificate of Compliance

Appendix-V

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR. NO.	PRODUCT NAME	SPECIFICATION
Forged Fittings		
1.	Forged Socket Pipe Fittings	Material of Construction: Carbon Steel, Stainless Steel Size Range: 1/8"~4" (DN6~DN100) Pressure: 3000LBS, 6000LBS, 9000LBS
2.	Forged Threaded Pipe Fittings	Material of Construction: Carbon Steel, Stainless Steel Pressure: 2000LBS, 3000LBS, 6000LBS Size Range: 1/8"~4" (DN6~DN100)
3.	Forged Olet	Size Range: 15 NB upto 100 NB 3000 LBS & 6000 (Sockolet / Thredolet / Nippolet / Elbolet / Insert Weldolet / Branzolet & Coupolet)
	(i)Socketed Outlet fittings - Sockolet (ii)Threaded Outlet fittings - Thredolet	6 NB upto 600 NB (Weldolet / Sweepolet) SCH 5S, 10S, 10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.
	(iii)Welded Outlet fittings - Weldolets (iv)Nippled Outlet fittings - Nippolet	Pressure: 2000 lbs, 3000 lbs, 6000 lbs, 9000 lbs

Daniel..

Authorised Signatory





Certificate of Compliance

Appendix-VI

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR. NO.	PRODUCT NAME / TYPE	SPECIFICATION
1.	SOCKETWELD & THREADED ELBOW 90DEG	Product Structure Standard Specification For Forged Fittings DIMENSIONS : ASME 16.11, MSS SP-79, MSS SP-95, 83, 95, 97, BS 3799 SIZE : 1/8" NB TO 4" NB PRESSURE CLASS : 3000 LBS, 6000 LBS, 9000 LBS MATERIAL & GRADES OF FORGED FITTINGS:- ASTM A182 F304, F304L, F304H, F306, F316L, F304H, F309S, F309H, F310S, F310H, F316TI, F316H, F316LN, F317, F317L, F321, F321H, F11, F22, F91, F347, F347H, F904L, ASTM A312/A403 TP304, TP304L, TP316, TP316L DUPLX & SUPER DUPLEX STEEL FORGED FITTINGS:- ASTM A 182 – F 51, F53, F55 S 31803, S 32205, S 32550, S 32750, S 32760, S 32950. CARBON STEEL FORGED SOCKET FITTINGS:- ASTM/ ASME A 105, ASTM/ ASME A 350 LF 2, ASTM A 53 GR. A & B, ASTM A 106 GR. A, B & C. API 5L GR. B, API 5L X 42, X 46, X 52, X 60, X 65 & X 70. ASTM / ASME A 691 GR A, B & C. ALLOY STEEL FORGED SOCKET FITTINGS:- ASTM / ASME A 182, ASTM / ASME A 335, ASTM / ASME A 234 GR P 1, P 5, P 9, P 11, P 12, P 22, P 23, P 91, ASTM / ASME A 691 GR 1 CR, 1 1/4 CR, 2 1/4 CR, 5 CR, 9CR, 91 COPPER ALLOY STEEL FORGED SOCKET FITTINGS:- ASTM / ASME SB 111 UNS NO. C 10100 , C 10200 , C10300 , C 10800 , C 12000 , C 12200, C 70600 C 71500, ASTM / ASME SB 466 UNS NO. C 70600 (CU -NI- 90/10) , C71500 (CU -NI- 70/30) NICKEL ALLOY FORGED SOCKET FITTINGS:- ASTM / ASME SB 336, ASTM / ASME SB 564 / 160 / 163 / 472, UNS 2200 (NICKEL 200) , UNS 2201 (NICKEL 201) , UNS 4400 (MONEL 400) , UNS 8020 (ALLOY 20 / 20 CB 3) , UNS 8825 INCONEL (825) , UNS 6600 (INCONEL 600), UNS 6601 (INCONEL 601) , UNS 6625 (INCONEL 625) , UNS 10276 (HASTELLOY C 276).
2.	SOCKETWELD & THREADED ELBOW 45DEG	
3.	SOCKETWELD & THREADED TEE	
4.	SOCKETWELD & THREADED CROSS	
5.	SOCKETWELD & THREADED UNION	
6.	SOCKETWELD & THREADED COUPLING	
7.	SOCKETWELD & THREADED SQUARE PLUG	
8.	SOCKETWELD & THREADED HEX HEAD PLUG	
9.	SOCKETWELD & THREADED ROUND HEAD PLUG	
10.	SOCKETWELD & THREADED HEX HEAD BUSHING	
11.	SOCKETWELD & THREADED HEX HEAD INSIDE BUSHING	
12.	SOCKETWELD & THREADED HALF-NIPPLE	
13.	SOCKETWELD & THREADED CAP	
14.	THREADED HEX NIPPLE	

Daniel..

Authorised Signatory





Certificate of Compliance

Appendix-VI

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2,RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR.NO	PRODUCT NAME	SPECIFICATION
FLANGES		
1.	Slip-On Flange	Material Of Construction: Carbon steel: SA105/A105, Alloy Steel: SA182 F11, SA182 F22, SA350 LF2 CL1, CL2, CL3
2.	Blind Flange	Stainless Steel: F304 F304L F316 F316L
3.	Weld Neck Flange	Size: 1/2-78 inch (DN15-DN2000)
4.	Lap Joint Flange	Pressure: class 150,300,600,1500,2500, PN6,PN10,PN16,PN25,PN40,PN64,PN100,PN160
5.	Threaded Flange	Packing: No Fumigate or Fumigate Plywood/Wood Pallet or Case
6.	Socket weld Flange	Surface Treatment: Anti-rust Oil, Transparent/Yellow/Black Anti-rust Paint, Zinc, Hot dipped Galvanized.
7.	Orifice Flange	Usage: Oil Field, Offshore, Water System, Shipbuilding,
8.	Spectacle Blind Flange	Natural Gas, Electric Power, Pipe Projects

Daniel..

Authorised Signatory



Page 8 of 9



Certificate of Compliance

Appendix-VIII

Appendix to Certificate no.:- UQ-2024112904

Manufacturer :- SUNIL TRADING CO.

Address :- D-11, BHGATSINGH NAGAR NO.2, RAJARAM GULLY
LINKING ROAD, GOREGAON WEST, MUMBAI SUBURBAN,
MAHARASHTRA, 400104, INDIA

This certificate referred to above covers the following products like:

Products:-

SR. NO.	PRODUCT NAME / TYPE	SPECIFICATION
1.	WELD NECK FLANGES	Product Structure Standard Specification For Forged Flanges Dimensions : ANSI B16.5, ANSI B16.47 Series A & B, MSS SP44, ASA, API-605, AWWA, Custom Drawings Size : 1/2" (15 NB) to 48" (1200NB) Class : 150 LBS, 300 LBS, 600 LBS, 900 LBS, 1500 LBS, 2500 LBS, DIN Standard ND-6,10, 16, 25, 40 Etc. DIN : DIN2527, DIN2566, DIN2573, DIN2576, DIN2641, DIN2642, DIN2655, DIN2656, DIN2627, DIN2628, DIN2629, DIN 2631, DIN2632, DIN2633, DIN2634, DIN2635, DIN2636, DIN2637, DIN2638, DIN2673 BS : BS4504 , BS4504, BS1560, BS10 Flange Face Type : Flat Face (FF), Raised Face (RF), Ring Type Joint (RTJ) Material & Grades of Forged Flanges : Stainless Steel Forged Flanges : ASTM A 182, A 240 F 304, 304L, 304H, 316, 316L, 316Ti, 310, 310S, 321, 321H, 317, 347, 347H, 904L Duplex & Super Duplex Steel Forged Flanges : ASTM / ASME A/SA 182 F 44, F 45, F51, F 53, F 55, F 60, F 61 Carbon Steel Forged Flanges : ASTM / ASME A/SA 105 ASTM / ASME A 350 , ASTM A 181 LF 2 / A516 Gr.70 A36, A694 F42, F46, F52, F60, F65, F706 Low Temperature Carbon Steel Forged Flanges : ASTM A350, LF2, LF3 CL.1, CL.2 Alloy Steel Forged Flanges : ASTM / ASME A/SA 182 & A 387 F1, F5, F9, F11, F12, F22, F91 Copper Alloy Steel Forged Flanges : ASTM SB 61 , SB62 , SB151 , SB152 UNS No. C 70600 (Cu-Ni 90/10), C 71500 (Cu-Ni 70/30), UNS No. C 10100, 10200, 10300, 10800, 12000, 12200 Nickel Alloy Forged Flanges : ASTM SB564, SB160, SB472, SB162 Nickel 200 (UNS No. N02200), Nickel 201 (UNS No. N02201), Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500), Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825), Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625), Inconel 601 (UNS No. N06601), Hastelloy C 276 (UNS No. N10276), Alloy 20 (UNS No. N08020).
2.	LONG WELD NECK FLANGES	
3.	SLIP ON FLANGES	
4.	BLIND FLANGES (BLRF)	
5.	SOCKET WELD FLANGES	
6.	THREADED / SCREWED FLANGES	
7.	LAP JOINT FLANGES	
8.	PLATE FLANGES	
9.	REDUCING FLANGES	
10.	DIN FLANGES	
11.	BS 10 FLANGES	
12.	MALE & FEMALE FLANGES	
13.	RAISED FACE FLANGES	
14.	RING TYPE JOINT FLANGES (RTJ)	
15.	SPECTACLE BLIND FLANGE	
16.	ORIFICE FLANGE	

SR. NO.	PRODUCT NAME	SPECIFICATION
STAINLESS STEEL BLACK BAR, BRIGHT BAR AND FORGE BAR		
1.	Size Range (DIA)	1.8MM To 600MM
2.	Tolerance	H8, H9, H10, H11
3.	Grades	304,316,316Ti,317,410, 416, 420, 430, 430F, 431,17-4PH.

Daniel..

Authorised Signatory

